Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040268071"	US-PGPUB; USPAT	OR	ON	2005/12/15 15:43
S2	1459	711/205-208.cds.	US-PGPUB; USPAT	OR	ON	2005/06/26 15:24
53	1733	711/163,145.cds.	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
54	3095	S2 or S3	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
<b>S</b> 5	111	tlb near3 lock\$3	US-PGPUB; USPAT	OR	ON	2005/09/20 09:31
<b>S</b> 6	42	S4 and S5	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
S7	32	S2 and S5	US-PGPUB; USPAT	OR	ON	2005/06/26 15:25
58	24	tlb adj lock\$3	US-PGPUB; USPAT	OR	ON	2005/06/26 15:26
S9	14	S6 and S8	US-PGPUB; USPAT	OR	ON	2005/06/26 15:57
S10	1	tlb adj pollution	US-PGPUB; USPAT	OR	ON	2005/06/26 15:32
S11	2	tlb adj pollution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 15:32
S13	70	tlb.ab. and tlb.ti.	US-PGPU8; USPAT	OR	ON	2005/06/26 16:31
S14	54	tlb.ab. and tlb.ti. and tlb.cim.	US-PGPUB; USPAT	OR	ON	2005/06/26 16:36
S15	0	tlb near2 lock\$3 near6 period	US-PGPUB; USPAT	OR	ON	2005/06/26 16:31
S16	111	tlb near3 lock\$3	US-PGPUB; USPAT	OR	ON	2005/06/27 07:51
517	8	S16 and S14	US-PGPUB; USPAT	OR	ON.	2005/06/26 16:32
S19	106	tlb.ab. and tlb.ti.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 16:37
S21	12	unique near page near access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 16:55
S22	5	page adj2 usage adj2 counter .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:18
S23	1	tlb near lock\$3 near5 (page adj2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:19
S24	1	tlb near lock\$3 with (page adj2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:16
S25	1	tlb near lock\$3 with (metric or chart or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:20
S26	2	tlb with lock\$3 with (metric or chart or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:21

					····	
S27	244	tlb with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:21
S28	1	tlb with lock\$3 with (mru or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:31
S29	1	tib with lock\$3 same (mru or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:31
530	5	tib same lock\$3 same (mru or (most adj recently) or (most adj commonly) or mcu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/26 17:31
S31	1	tlb near2 lock\$3 with (priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:21
532	40	frequency near2 invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:18
S33	1	(tib near2 lock\$3) and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TOB	OR	ON	2005/06/27 07:18
S34	2	tlb and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:18
S35	2	tlb with lock\$3 with (priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:20
S36	1	tlb with lock\$3 with invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:21
537	1	tlb with lock\$3 and (frequenc\$3 near3 invocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:22
538	0	(tlb near3 lock\$3) with "based on"	US-PGPUB; USPAT	OR	ON	2005/06/27 07:52
S39	0	(tlb near3 lock\$3) with "based on" .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:52
S40	12	(tlb near3 lock\$3) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:52

				T	r	
S41	591	amplif\$4 near3 communication adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:16
S42	649	tlb and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:10
S43	1	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:10
S44	1	S41 and tib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:10
S45	6	S41 and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:11
546	378	amplif\$4 near5 signal and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:17
S47	149	S46 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:17
548	77	S47 and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:17
549	67	tlb adj2 lock\$3	US-PGPUB; USPAT	OR	ON	2005/09/20 09:37
S50	2	page adj usage adj metric .	US-PGPUB; USPAT	OR	ON	2005/09/20 09:37
S52	2	(memory adj access adj pattern) near3 compar\$3	US-PGPUB; USPAT; USOCR; EPO; PO; DERWENT; IBM_TOB	OR	ON	2005/09/20 10:02
S53	2	"5761426".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 10:03
S54	2	"5761426".pn. and compar\$3 near3 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 10:03
S55	555	(stride or pattern or sequence) with (page near2 access\$4)	US-PGPUB; USPAT	OR	ON	2005/12/14 17:58
S56	4062	(translation adj look adj aside) or tib	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S57	2	page adj usage adj metric	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S58	18	S55 same S56	US-PGPUB; USPAT	OR	ON	2005/12/14 18:17
S59	164	page adj usage	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S60	0	S58 same S59	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59

			T	T		
S61	19	S58 and/5	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S62	0	S58 and S59	US-PGPUB; USPAT	OR	ON	2005/12/14 17:59
S63	179	lock\$4 with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:10
S64	9	count\$4 with (page adj usage)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:48
S65	1	S63 and S64	US-PGPUB; USPAT	OR	ON	2005/12/14 18:24
566	1905	711/163, 205-208,145.cds.	US-PGPUB; USPAT	OR	ON	2005/12/14 18:24
S67	256	lock\$4 with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 18:27
S68	20	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 18:25
S69	7	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 (page adj usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 19:41
S70		S69 and ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:15
S71	1	S68 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 18:27
S74	95000	(hit or access or use) near4 (ratio or counter or number)	US-PGPUB; USPAT	OR	ON	2006/04/11 11:16
575	5014	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 S74	US-PGPUB; USPAT	OR	ON	2005/12/15 14:06
S76	618	"711"/\$.ccls. and S75	US-PGPUB; USPAT	OR	ON	2005/12/15 14:05
S78	3385	711/163,205-208,145.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:05
579	95000	(hit or access or use) near4 (ratio or counter or number)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:08
S80	5014	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 579	US-PGPUB; USPAT	OR	ON	2006/04/10 19:41
581	3385	711/163,205-208,145.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:08
S82	111	S80 and S81	US-PGPUB; USPAT	OR	ON	2005/12/15 15:08
S83	40	S82 and ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
S84	3327	(lock\$4 or fix\$4 or sav\$4 or stor\$4 or buffer\$4 or writ\$4 or cop\$4) with ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 15:52
S85	122	S80 and S84	US-PGPUB; USPAT	OR	ON	2005/12/15 15:19
S86	39	S81 and S85	US-PGPUB; USPAT	OR	ON	2005/12/15 15:23
S87	1464	(page or bank or block or row) near3 (usage or access or hit or use) near3 (metric or ratio or pattern or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:45

<del></del>					-	
588	3	S84 same S87	US-PGPUB; USPAT	OR	ON	2005/12/15 15:53
S89	39	S84 and S87	US-PGPUB; USPAT	OR	ON	2005/12/15 15:53
590	4	tlb with (page adj usage)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:49
S91	0	tlb with (page adj usage)	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:49
592	1464	(page or bank or block or row) near3 (usage or access or hit or use) near3 (metric or ratio or pattern or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:50
S93	43	S92 and ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
594	5	S92 same ((translation adj look adj aside) or tlb)	US-PGPUB; USPAT	OR	ON	2005/12/15 16:51
S95	74	lock\$4 with (tlb near2 entr\$3)	US-PGPUB; USPAT	OR	ON	2005/12/15 18:24
S96	3	(bas\$2 or depend\$3 or result\$3) with S95	US-PGPUB; USPAT	OR	ON	2005/12/15 18:24
S97	20	(compar\$4 or equat\$4 or match\$4) same S95	US-PGPUB; USPAT	OR	ON	2005/12/15 18:29
S98	584	(lock\$4 or secur\$3 or fix\$3) with tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:24
S99	77	(bas\$2 or depend\$3 or result\$3) with S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:25
S10 0	19	(compar\$4 or equat\$4 or match\$4) with S99	US-PGPUB; USPAT	OR	ON	2005/12/16 10:10
S10	1	"20020073282"	US-PGPUB; USPAT	OR	ON	2005/12/16 10:10
S10 2	171	page adj usage	US-PGPUB; USPAT	OR	ON	2006/04/10 19:41
S10 3	6	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:33
510 4	14	(page adj access) near7 S102	US-PGPUB; USPAT	OR	ON	2006/04/10 19:46
S10 5	155	(compar\$4 or match\$4 or equat\$4 or relat\$4) near7 (page adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;		ON	2006/04/10 19:47
S10 6	2	page near (usage or access) near (metric or histogram)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/04/11 09:29
510 7	2	page adj (usage or access) adj (metric or histogram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/04/11 09:32
S10 8	3602	(page adj (usage or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/04/11 09:32
S10 9	64	(page adj (usage or access)) with tib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/04/11 09:33
<u></u>	106 F.10		1001,100	<del></del>		Page 5

S11 0	89	(page adj (usage or access)) same tib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:46
S11 1	250	(compar\$4 or match\$4 or equat\$4 or relat\$4) with (page adj (usage or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:47
S11 2	69	(compar\$4 or match\$4 or equat\$4 or relat\$4) near2 (page adj (usage or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:21
S11 3	1	S110 same S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:35
S11 4	2	S110 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:35
S11 5	3522	711/163,205-208,145.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:25
511 6	20	S111 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:36
S11 7	5	S109 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 09:47
S11 8	147	((translation adj look adj aside) or tlb) near3 lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:24
S11 9	53	S118 with (hit or access\$3 or use\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:22
S12 0	687	(compar\$4 or match\$4 or equat\$4 or relat\$4) near5 pages near5 process	US-PGPUB; USPAT	OR	ON	2006/04/11 14:23
S12	125	((translation adj look adj aside) or tlb) near3 lock\$3	US-PGPUB; USPAT	OR	ON	2006/04/11 14:24
S12 2	1	S120 same S121	US-PGPUB; USPAT	OR	ON	2006/04/11 14:24
S12 3	1	S120 and S121	US-PGPUB; USPAT	OR	ON	2006/04/11 14:24
S12 4	28	711/205-208.ccls. and 5120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:25